ROYAL HIDE

product overview

A true classic, Royal Hide has the elegance and strength to make it a mainstay. It's perfect for any lived-in environment — with kids, pets, food, drinks, and more. This is luxury with a practical side — large hides with high yield, a durable protective finish, and availability in over 50 standard colors. Custom coloring is available with low minimum requirements. Royal Hide brings your designs to life beautifully.

EDELMAN
LEATHER

ROYAL HIDE

colorways

|						
Super White RH143	Dead White RH32	Polar Bear RH24	Greige RH55	Stone RH51	City Grey RH491	Storm RH489
Battleship RH487	Pussy Willow RH84	Balsa RH13	Raw Silk RH01	Birchwood RH117	Sun Baked RH126	Palomino RH50
Cotton Candy RH482	Flame RH118	Wagon Red RH101	Rum RH37	Bourbon RH04	Golden Eagle RH70	Claret RH56
Off White RH07	Sparrow RH74	African Parrot RH71	Cat Bird RH68	Coal Ash RH103	Carbon RH14	True Blue RH136
Cornflower RH89	Plane Blue RH92	Blue Heron RH77	Rich Blue RH132	High Desert RH476	Swamp RH105	Moss RH98

EDELMAN
LEATHER

ROYAL HIDE

colorways

Verde Gris RH99	Ocean RH93	Evergreen RH60	Leaf RH124	Spring Leaves RH96	Madness RH474	Ledo Blue RH475
Roadrunner RH78	Winter Wheat RH80	Tea RH81	Quail RH76	Pitch Brown RH83	Deep Space RH490	Black Perf RH53P
Black RH53						

ROYAL HIDE

specifications

|	
Content	European full grain aniline-dyed cowhide
Finish	Durable protective finish, EDGE stain release
Size	Avg 55–60 sf
Average Usable Area	60″ x 65″
Thickness	1.0–1.2 mm
Weight Per Square Foot	3 oz
Texture	Small grain
Colors Available	50 standard colors
Custom	Custom coloring available
Applications	Residential, Hospitality, Contract, Aviation, Marine
Use	Upholstery and vertical applications
Wellness	Greenguard Gold certified
EDGE Stain Release	Standard on all colors
Performance	Recommended for high-traffic areas, light patina

testing

Durability & Strength	Abrasion ASTM D 7255: Complies
	Breaking Force ASTM 2208 (100lbs): Complies
	Crocking ASTM D 5053: Class 4–5
	Elongation ASTM D 2211 (20–50%): Complies
	Light Fastness 72hrs/ISO 105-B02: Class 4–5
	Tearing Strength ASTM D 4705 (15lbs): Complies
Flammability	Boston Fire Code (BFD 1X-1): Complies
	California Technical Bulletin 117-2013: Class 1
	Cigarette Ignition Resistance (NFPA 260): Class 1
	Ignitability of Upholstered Seating by Smoldering & Flaming Sources (BS5852): Complies with FR treatment
	IMO Resolution A.652(16): Complies
	Surface Building Characteristic of Building Materials (ASTM E 84): Class B

maintenance

	If a spill or stain should occur, blot immediately with a clean, absorbent cloth or sponge. Do not rub with force or pressure. A drop of saddle soap on a damp cloth may remove dirt.

GREENGUARD GOLD

mindful MATERIALS

EDGE

EDELMAN

LEATHER

ROYAL HIDE

hide depiction

Avg 55–60 sf
Average Usable Area 60″ x 65″

65″

60″

EDELMAN
LEATHER